

LCD Panel PRO for OR's





LCD Panel can be mounted in the front of OR. It is controlled from control panel in the OR. You can select 4 different programmable status lights and 3 different programmable alarms. All text, colors, fonts, font size, status name, alarms, pictures can be changed or added by the request of the customer. It can also be used as night light sky image, window image, aquarium etc.



LCD Panel Basic for OR's

LCD Panel can be mounted in the front of OR. It is controlled from control panel in the OR. The panel has three segments with back light illumination. You can select 8 different status lights or alarms. All text, colors, fonts, font size, status name, alarms, pictures can be changed or added by the request of the customer. It can also be used as night light sky image, window image, aquarium etc.



Technical data PRO

Power:	230V AC/0,5A 18V DC/1A Power adapter
Digital inputs:	8 channel, 24V DC
Display:	HD 14" anti-glare screen with EDP interface
Resolution:	1366 x 768, 262K color
Brightness:	PWM screen brightness control

Technical data BASIC

Power:	230V AC/0,5A 18V DC/1A Power adapter
Digital inputs:	8 channel, 24V DC
Display:	LED segment with colored glass and fonts

Dimensions:

LCD screen with frame:	460 x 270 x 62 mm
Cut out:	240 x 445 mm
Frame material:	Stainless
Color:	Silver, Black